Journal of Immunological Methods, 154 (1992) 275–276

© 1992 Elsevier Science Publishers B.V. All rights reserved 0022-1759/92/$05.00

Contents to volume 154 (1992)

Number 1 – 18 September 1992

Research reports

The use of nylon wool for the isolation of T lymphocyte subpopulations
D. Kokkinopoulos, S. Perez, R. Sotiriadou, J. Stinios and M. Papamichail (Greece) 1

Lymphocyte immunophenotyping by flow cytometry in normal adults. Comparison of fresh whole blood lysis technique, Ficoll-Paque separation and cryopreservation
M.A. Romeu, M. Mestre, L. González, A. Valls, J. Verdaguer, M. Corominas, J. Bas, E. Massip and E. Buendia (Spain) 7

The detection of intracytoplasmic interleukin-1α, interleukin-1β and tumour necrosis factor α expression in human monocytes using two colour immunofluorescence flow cytometry
M.P. De Caestecker, B.A. Telfer, I.V. Hutchinson and F.W. Ballardie (UK) 11

Selective generation of antigen-specific human hybridomas optimized for large scale growth in serum-free medium
A.B. Lang, U. Schürch, F. Zimmermann and U. Bruderer (Switzerland, Germany) 21

Monoclonal antibody based ELISAs for cryptococcal polysaccharide
A. Casadevall, J. Mukherjee and M.D. Scharff (USA) 27

Analysis of high complement levels in *Mus hortulanus* and BUB mice
G.L. Ong, A.E.M. Baker and M.J. Mattes (USA) 37

Differential membrane labelling of human lymphocyte subsets by PKH-2 examined by multiparameter flow cytometry. A possible correlation between lipid composition of cellular membranes and functional properties?
R. Festin (Sweden) 47

Determination of the immunoreactive fraction of radiolabeled monoclonal antibodies directed against intracellular antigens
H.J. Haisma, H.M. Pinedo, C.A. Silva and E. Boven (Netherlands) 55

Increased specificity and sensitivity of insulin antibody measurements in autoimmune thyroid disease and type I diabetes
M.J. Hegewald, S.L. Schoenfeld, D.K. McCulloch, C.J. Greenbaum, L.J. Klaff and J.P. Palmer (USA) 61

Use of defined oligosaccharide epitopes in an ELISA for group B streptococcus
R.J. Chalifour, F. Michon, H.J. Jennings and M. Lacroix (Canada) 69

Microplate washing: process description and improvements
T. Beumer, E. Stoffelen, J. Smits and W. Carpay (Netherlands) 77

The development of enzyme-linked immunosorbent assays (ELISA) for the catecholamines adrenalin and noradrenalin
J.F. Murphy, D.H. Davies and C.J. Smith (UK) 89

A simple fluorescence method for surface antigen phenotyping of lymphocytes undergoing DNA fragmentation
J.A. Hardin, D.H. Sherr, M.A. DeMaria and P.A. Lopez (USA) 99

Effective blocking of natural cytotoxicity of young rabbit serum on murine thymocytes by high concentration of glucose in complement-dependent cytotoxicity method
S. Yong Park, M. Kojima, H. Suzuki and N. Shinohara (Japan) 109

A rapid and sensitive cellular enzyme-linked immunoabsorbent assay (CELISA) for the detection and quantitation of antibodies against cell surface determinants. I. A comparison of cell fixation and storage techniques
K.W. Walker, R. Llull, G.K. Balkian, H.S. Ko, K.M. Flores, R. Ramsamooj, K.S. Black, C.W. Hewitt and D.C. Martin (USA) 121

A transient transfection system for identifying biosynthesized proteins processed and presented to class I MHC restricted T lymphocytes
L.C. Eisenlohr, J.W. Yewdell and J.R. Bennink (USA) 131

Letter to the editors

Buffering requirements for cAMP determination by radioimmunoassay in cultured macrophages
C.R. Roland, K.J. Martin and M.W. Flye (USA) 139

Book review 143

Announcement from the publisher 144

Notes to authors 145

Number 2 – 2 October 1992

Research reports

A quantitative objective method for the evaluation of anti-sperm cell-mediated immunity in humans
D.G. Dimitrov, R. Sedlák, K. Nouza and R. Kinský (Czechoslovakia) 147

Consistency of routine measurements of $CD4^+$, $CD8^+$ peripheral blood lymphocytes
J.P. Aboulker, B. Autran, K. Beldjord, F. Touraine and P. Debre (France) 155

Analysis of human IgA subclasses by in situ hybridization and combined in situ hybridization/immunohistochemistry
K.B. Islam, B. Christensson, L. Hammarström and C.I.E. Smith (Sweden) 163

Enumeration of interleukin-1 alpha and beta producing cells by flow cytometry
I.C. Chikanza, V. Corrigal, G. Kingsley and G.S. Panayi (UK) 173

Antibody to recombinant murine tumor necrosis factor (TNF) neutralizes guinea pig TNF
R. Ruppel-Kerr, J.A. Lemp and M.H. Karol (USA) 179

A new and simple method for studying the binding and ingestion steps in the phagocytosis of yeasts
J. Giaimis, Y. Lombard, M. Makaya-Kumba, P. Fonteneau and P. Poindron (France) 185

Effect of fixation on the detection of transmissible gastroenteritis coronavirus antigens by the fixed-cell immunoperoxidase technique
L.-T. Tô and S. Bernard (Viet Nam, France) 195

Rapid DNA typing utilizing immobilized oligonucleotide probe and a nonradioactive detection system. Application to HLA-DR typing of the Japanese population
A. Abe, M. Kitagawa, Y. Ikuta, S. Miyakoshi, H. Danbara, N. Kashiwagi and F. Obata (Japan) 205

Isolation of mouse $Lyt2^-$ mutant cells using magnetic particles
D. Iannelli, R. Capparelli, F. Scala and L. Ferrara (Italy) 211

A quantitative method for measuring the adherence of group B streptococci to murine peritoneal exudate macrophages
A.R. Sloan and T.G. Pistole (USA) 217

Factors influencing HIV-1 banding patterns in miniaturized Western blot testing of dried blood spot specimens
T.C. Granade, S.K. Phillips, C.J. Bell, C.-P. Pau, B. Parekh, W.H. Hannon, M. Gwinn, M.A. Redus, G. Schochetman and J.R. George (USA) 225

In vitro proliferation and the cytotoxic specificity of a cryopreserved cytotoxic T cell clone reacting against human autologous tumor cells
Y. Wada, H. Ikeda, D. Ueda, M. Ohta, S. Takahashi, K. Hirata, N. Sato and K. Kikuchi (Japan) 235

High gradient magnetic separation of cells on the basis of expression levels of cell surface antigens
T.E. Thomas, S.J.R. Abraham, A.J. Otter, E.W. Blackmore and P.M. Lansdorp (Canada) 245

Dendritic cells from mouse bone marrow: in vitro differentiation using low doses of recombinant granulocyte-macrophage colony-stimulating factor
C. Scheicher, M. Mehlig, R. Zecher and K. Reske (Germany) 253

Letters to the editors

cDNA clones of myeloperoxidase (MPO) and eosinophil peroxidase (EPO) from human blood mononuclear cells differentiated into granulocyte precursors in liquid cultures
M. Romano, C. Melo, F. Baralle and P. Dri (Italy) 265

Protein growth factor(s) from C6 glioma cells. A reaction to an article by Gomathi et al. (JIM 139 (1991) 101–105)
S. Kumar Sharma (India) 269

Reply to the letter of Sanjeev Kumar Sharma
S.K. Sharma (India) 271

Software notice

Software archive. Current contents (August 18, 1992) 273

Contents to volume 154 (1992) 275

Notes to authors 277